

2007 Volvo S40

YV1MS390072267602

Last Entered Odometer: 10,707 mi

Oxygen Sensor Monitor Bank 1 - Sensor 1

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Test not complete

MID: 01	Min: -	Val: -
TID: 82	Max: -	

Oxygen Sensor Monitor Bank 1 - Sensor 2

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Test not complete

MID: 02	Min: -	Val: -
TID: 81	Max: -	

Oxygen Sensor Monitor Bank 1 - Sensor 2

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Test not complete

MID: 02	Min: -	Val: -
TID: 80	Max: -	

Oxygen Sensor Monitor Bank 1 - Sensor 3

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Complete and Pass

MID: 03	Min: 0	Val: 0
TID: 81	Max: 32767	

Oxygen Sensor Monitor Bank 1 - Sensor 3

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

TID: 86 Max: 32767



Oxygen Sensor Heater Monitor Bank 1 - Sensor 2

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Complete and Pass

MID: 42 Min: 0 Val: 0

TID: 86 Max: 32767



Oxygen Sensor Heater Monitor Bank 1 - Sensor 3

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Complete and Pass

MID: 43 Min: 0 Val: 0

TID: 86 Max: 32767



Fuel System Monitor Bank 1

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Test Fail

MID: 81 Min: 0 Val: 33280

TID: 87 Max: 32767



Mis-Fire Monitor General Data

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Complete and Pass

MID: A1 Min: 0 Val: 0 counts

TID: 93 Max: 32767



Mis-Fire Monitor General Data

Manufacturer Defined Test ID range — This parameter is an identifier for the test performed within the On-Board Diagnostic Monitor.

Status: Complete and Pass

MID: A1 Min: 0 Val: 0 counts

TID: 94 Max: 32767



Mis-Fire Cylinder 1 Data

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A2 Min: 0 Val: 0 counts

TID: 0B Max: 65535



Mis-Fire Cylinder 1 Data

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A2 Min: 0 Val: 0 counts

TID: 0C Max: 65535



Mis-Fire Cylinder 2 Data

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A3 Min: 0 Val: 0 counts

TID: 0B Max: 65535



Mis-Fire Cylinder 2 Data

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A3 Min: 0 Val: 0 counts

TID: 0C Max: 65535



Mis-Fire Cylinder 3 Data

EWMA (Exponential Weighted Moving Average) misfire counts for last ten (10) driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

MID: A4 Min: 0 Val: 0 counts

TID: 0B Max: 65535



Mis-Fire Cylinder 3 Data

Misfire counts for last/current driving cycles (calculated, rounded to an integer value)

Status: Complete and Pass

